GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – M.A. & U.D. Department – Allegations of irregularities in the execution of works taken up by the Parvathipuram Municipality in all wards of Parvathipuram Municipality, Parvathipuram - Manyam District (erstwhile Vizianagaram District) – Departmental action initiated against Sri V. Jagan Mohan Rao, the then Dy.Executive Engineer and three (3) others of Parvathipuram Municipality, Parvathipuram-Manyam District - Appointment of Sri T. Sampath Kumar, Superintending Engineer, GVMC, Visakhapatnam as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.1) DEPARTMENT

G.O.RT.No. 357 **Dated: 25-04-2025**

Read the following:-

1. G.O.Rt.No.613, MA & UD (Vig.I) Dept., dated: 12.08.2024.
2. G.O.Rt.Nos.732 to 735, MA & UD (Vig.I) Dept., dated: 24.09.2024.
3. Written statement of defence / served copies of charged officers.

* * *

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against viz., 1) Sri V. Jagan Mohan Rao, the then Dy.Executive Engineer; 2) Sri A. Narasimha Murthy, the then Municipal Asst. Engineer; 3) Sri G. Anand the then Municipal Asst. Engineer; and 4 Sri D. Sreerama Murthy, the then Dy.Executive Engineer(retired and expired on 06.01.2025), Parvathipuram Municipality, Parvathipuram-Manyam District on the Allegations of irregularities in execution of works taken up by the Parvathipuram Municipality in all wards of Parvathipuram Municipality, Parvathipuram.

2. Whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against above said officers.

3. Now therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (Classification, Control and Appeal) Rules 1991, the disciplinary authority hereby appoints Sri T. Sampath Kumar, Superintending Engineer, GVMC, Visakhapatnam to inquire into the charges framed against the above said officials.

4. The Enquiry Officer shall submit his report within three (3) months.

5. The Engineer-in-Chief, Public Health, A.P., Guntur shall provide the required material such as Articles of Charges, written statement of defense of the Charged Officer etc., to the Enquiry Officer, immediately.

(P.T.O)

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S SURESH KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Sri T. Sampath Kumar, Superintending Engineer, GVMC, Visakhapatnam
Sri V. Jagan Mohan Rao, the then Dy.Executive Engineer, Parvathipuram Municipality, Parvathipuram-Manyam District
Sri A. Narasimha Murthy, the then Municipal Asst. Engineer, Parvathipuram Municipality, Parvathipuram-Manyam District
Sri G. Anand the then Municipal Asst. Engineer, Parvathipuram Municipality, Parvathipuram-Manyam District.
(through the **Engineer-in-Chief, Public Health, A.P., Guntur**).
The Engineer-in-Chief, Public Health, A.P., Guntur.

Copy to:

The Commissioner, Parvathipuram Municipality, Parvathipuram-Manyam District.
The Director General, G.A. (V&E) Dept., A.P., Vijayawada.
The Secretary to A.P.Vigilance Commission, 5th Building, A.P. Secretariat, Velagapudi.
SF/SCs(E.No:2408059).

//FORWARDED::BY ORDER//

SECTION OFFICER